



ZYRA E PROKURIMIT

01 NR. 344-29619/19

Me 12.07.2019

KONTRATA PUBLIKE KORNIZË NR 054/2019
KUSHTET & ANEKSET E NDËLIDHURA
PJESA I E KONTRATËS: KONTRATA PUBLIKE

KUVENDI KOMUNAL I KLINËS, (në vazhdim "Autoriteti Kontraktues") te perfaqesuar nga menaxheri i Zyres se prokurimit z. Abaz Foniqi, në njërën anë;

Dhe:

1. TRIO TEK, RRUGA GAZMEND ZAJMI – PRISHTINE, ME NUMER BISNESI 70819252 nr. Fiskal 600772166, me perfaqesues z. Halil Zabeli,

Ne anën tjetër, janë pajtuar te lidhin një kontrate-Marreveshje publike kornize me Mini tender për furnizim me:

FURNIZIM ME PAISJE TE TEKNOLOGJISE INFORMATIVE

me numër identifikues: 634-19-4037-135/int. 634-18-813-1-2-1

Neni 1 Lënda

- 1.1 Lënda e kontrate publike kornizë është të krijoj kushtet, duke përfshirë rregullat e implementimit për krijimin e kushteve per Procedura me MINI TENDER per furnizimet per Paisjet sipas Listes se Planifikuar .

.Nr. rendor Përshkimi Njësia Sasia e parashikua

Nr. i art.	Përshkrimi	Njësia	Sasia	CMIMI PER NEJSI	VLERA
1	KOMPJUTER DESK TOP	COPE	6	430.00	2.560.00

- 1.2 Kontrata publike do të implementohet me "procedurave MINI TENDER per cdo raste kur Autoriteti kontraktues deshiron te furnizohet me keto paisj .

1.3 Sasi të e vlerësuar, të përcaktuara në Pjesën C, Lista e artikujveve, janë vetëm sasi indicative. Autoriteti(et) Kontraktues i përmendur në Nenin 1.1 është (janë) të detyruar të përdorin këtë marrëveshje kornizë sa herë që të prokurojnë mallëra; të përmendura në 1.1.

1.5 Afati i permbushjes se kontrates 30 dite nga data e neneshkrimit

Neni 2 Kushtet e dërgesës

2.1 Afati kohor për dorëzim do të jetë Ne baze te Kontrave me mini tender ditë nga koha e lëshimit të urdhër blerjes nga ana e Autoritetit Kontraktues.

2.3 Inkotermi I zbatueshëm do të jetë DDP¹ (Dërgesat e Detyrës të Paguara).Kline

Neni 3 Origjina

3.1 Furnizuesi duhet të dorëzojë një certifikatë të origjinës së furnizimeve, më së voni atëherë kur e kërkon pranimin e përkohshëm të furnizimeve. Mosveprimi sipas këtij kushti mund të ketë si rezultat ndërprerjen e kontratës

3.2 Origjina e mallrave do të përcaktohet sipas Kodit të Doganave të Bashkësisë Evropiane (Community Customs Code-) ose sipas marrëveshjeve ndërkombëtare të cilat i ka nënshkruar vendi në fjalë.

4.4 Pagesat do të bëhen në përputhje me Kushtet e Përgjithshme dhe/ose të Veçanta të Kontratës.


Per Kontrata me Mini Tender sipas procedurave ne vijim

6.4 Kjo kontratë është përgatitur në gjuhë **Shqipe** in në tri origjinale, dy origjinale për Autoritetin Kontraktues dhe një original për Furnizuesin.

Për Autoritetin Kontraktues

Emri:	Abaz Foniqi
Pozita:	Zyrtar përgjegjës i prokurimit
Nënshkrimi:	
Data:	12.07.2019
Vula:	

Për O.E. - TRIO TEK –Prishtine

Emri:	Gafurr Salihu
Pozita:	Drejtor
Nënshkrimi:	
Data:	
Vula:	

¹⁷ DDP – Dërgesat e Detyrës të Paguara –Incoterms 2010 Dhoma Ndërkombëtare e Tregtisë.

ideacentre 510-15ICB 90HU0010UK

WithDraw
0

Keyboard / Mouse
USB Black / USB Black



[www.LENOVO.COM](http://www.lenovo.com)

Product
ideacentre 510-15ICB

System Fan
None

Power Supply
180W 85% Energy Star

Region
WE

Operating System
Windows 10 Home 64

Country
UK Group

Color
Silver

Machine Type
90HU

Processor
Core i3-8100 (4C / 4T, 3.6GHz, 6MB)
upc_ean_jan_code
192563349020

Graphics
Integrated Intel UHD Graphics 630

Warranty
1-year, Depot

Chipset
Intel B360

Announce Date
2018-05-11

Memory
1 x 8GB DDR4-2666

Storage
1TB HDD 7200rpm 3.5"

Optical
9.0mm DVD±RW

Media Reader
7-in-1

WLAN + Bluetooth
11ac, 1x1 + BT4.X

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<http://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.



Ideacentre 510-15ICB Platform Specifications

Product Specifications Reference (PSREF)

Processor Intel Celeron Processor, Intel Pentium Gold Processor or 8th Generation Intel Core i3 / i5 / i7 Processors

Processor	Cores / Threads	Frequency (Base/Max)	Cache	Memory Types	Integrated Graphics
Celeron G4900	2 / 2	3.1 GHz	2 MB		Intel UHD Graphics 610
Pentium Gold G5400	2 / 4	3.7 GHz	4 MB	DDR4-2400	Intel UHD Graphics 610
Core i3-8100	4 / 4	3.6 GHz	6 MB		Intel UHD Graphics 630
Core i5-8400	6 / 6	2.8 GHz / 4.0 GHz	9 MB	DDR4-2666	
Core i7-8700	6 / 12	3.2 GHz / 4.6 GHz	12 MB		

Memory 16GB max offering, UDIMM, DDR4-2666, two 288-pin DIMM sockets
 * System automatically clocks down for the processors with lower memory controller

Storage
 Some: Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm
 Some: M.2 SSD / SATA 6.0Gb/s
 Some: M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x4, 32Gb/s
 Some: Intel Optane™ Memory, PCIe NVMe, PCIe 3.0 x2, 16Gb/s, M.2
 * 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x2, 16Gb/s
 DVD Burner (DVD±RW), slim, 9.0mm high
 Three onboard SATA 6.0Gb/s connectors
 Optional 7-in-1 media card reader


Optical (opt) Onboard SATA Media reader
 Graphics
 Some: Intel HD Graphics 610 / 630 or Intel UHD Graphics 610 / 630 in processor,
 Max resolution: 1920x1080 @30Hz (i-DMI) / 1920x1200 @60Hz (VGA)
 one VGA, one HDMI;
 Some: NVIDIA® GeForce® GT 730, 1GB or 2GB GDDR5, DirectX 12,
 Max resolution: 3840x2160 (HDMI) @30Hz; 2048x1536 (VGA) @75Hz;
 one VGA, one HDMI;
 Some: NVIDIA® GeForce® GT 730, 2GB GDDR3, DirectX 12,
 Max resolution: 1920x1080 (HDMI) @60Hz; 2048x1536 (VGA) @85Hz;
 one DVI, one HDMI, one DP;
 Some: NVIDIA GeForce GTX 1050, 2GB GDDR5, DirectX 12,
 Max resolution: 4096x2160 (HDMI) @60Hz; 7680x4320 (DP) @60Hz;
 2560x1600 (DVI) @60Hz
 Some: NVIDIA GeForce GTX 1050 TI, 4GB GDDR5, DirectX 12,
 one DVI, one HDMI, one DP;
 Some: AMD Radeon™ RX 460, 4GB GDDR5, DirectX 12, one HDMI,
 one DP, one DVI;
 Max resolution: 4096x2160 (HDMI) @60Hz; 7680x4320 (DP) @60Hz;
 2560x1600 (DVI) @60Hz
 Some: AMD Radeon RX 550, 2GB GDDR5, DirectX 12,
 one HDMI, one VGA, one DP;
 Max resolution: 4096x2160 (HDMI) @60Hz; 5120x2880 (DP) @60Hz;
 2048x1536 (VGA) @60Hz
 Some: AMD Radeon RX 560, 4GB GDDR5, DirectX 12,
 one HDMI, one DVI, one DP;
 Max resolution: 4096x2160 (HDMI) @60Hz; 5120x2880 (DP) @60Hz;
 2560x1600 (DVI) @60Hz
 Some: AMD Radeon R7 350, 2GB GDDR5, DirectX 11,
 one VGA, one HDMI;
 Max resolution: 1920x1080 (HDMI) @60Hz; 2048x1536 (VGA) @85Hz;

Chipset Intel B360 platform
 Front ports* one headphone / microphone combo jack (3.5mm), one microphone (3.5mm), optional media reader, two USB 3.1 Gen1, two USB 3.1 Gen2, one USB 3.1 Type-C Gen1 power connector, one VGA-out, one HDMI-out, one ethernet (RJ-45), four USB 2.0
 Rear audio ports one headphone / microphone combo jack (3.5mm)
 IEEE 1394 None
 * Depending on many factors, actual data transfer speed may be lower than theoretical speed
 Audio support High Definition (HD) Audio, Realtek ALC233 / Dolby Atmos Audio
 WLAN (opt) Some: 11ac Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, 1x1
 Some: 11ac Wi-Fi + Bluetooth 4.0 combo adapter, M.2 card, 2x2
 Bluetooth™ (opt) Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter
 Ethernet Gigabit ethernet Realtek® RTL8111GN (for iKL) or Intel i219-V (for ICB)
 Modem None
 Security chip None
 Security features Power-on password, administrator password, hard-disk password, Kensington® lock
 Keyboard (opt) Lenovo Calliope Keyboard (USB connector), black or silver
 Mouse Lenovo Wireless Keyboard (2.4GHz via USB receiver), black or silver
 Lenovo Calliope Mouse (USB connector), black or silver
 Lenovo Wireless Mouse (2.4GHz via USB receiver), black or silver
 Mechanical
 • Tower (15L), black / silver color, metal case
 • (WxHxD) with bezel: 5.71" x 11.22" x 14.41", 145mm x 285.2mm x 366.03mm
 • Approx 12.8 lb (5.8 kg), weight may vary by configuration
 • Optional front / rear system fan
 Bay 1: slim optical bay
 Bay 2: 3.5", disk bay
 Bay 3: 3.5" or 2.5", disk bay
 Slot 1: full-length half-height, PCIe 3.0 x16
 Slot 2: full-length half-height, PCIe 3.0 x1
 M.2 card slots: one for WLAN, one for M.2 SSD / Optane
 Power supply Some: 180 watts, auto-sensing, 85% PSU
 Some: 210 watts, auto-sensing, 85% PSU
 Limited warranty 1-year or 2-year, depot repair service / service upgrades available
 Preload Preloaded operating system
 Windows® 10 Home 64 or Windows 10 Pro 64
 Preloaded applications (only some listed)
 • Microsoft Office preloaded;
 • purchase a product key to activate
 • Lenovo® Application Explorer
 • Lenovo PC Manager
 • McAfee® LiveSafe™ (30-day trial)
 • PowerDVD (DVD±RW)
 • Power2GO (DVD±RW)
 Environment ENERGY STAR® 6.1 (support version 7.0 after November); EFP Lot 3;
 RoHS-compliant
 Accessories For compatible accessories, please go to <http://smartfind.lenovo.com>

Note: The specifications above may not be available in all regions.



ideacentre 510-15ICB



HANNSPREE

Experts in Display

HE 225 DPB

21.5" / 54,61cm Diagonal
LED Backlight – Format 16:9

- 21,5" 16:9 LED Backlight Monitor
- 1920 x 1080 Full HD 1080P
- 5ms Fast Response Time
- Input: DVI-D + VGA
- Built-In Stereo Speakers
- Tilt and Wall-Mountable (VESA)
- Low Power Consumption
- Multi-Video Modes
- ECO Friendly
- Flicker Free



21.5" / 54,61 cm

Part. No.: HE 225 DPB

SIZE, RESOLUTION



21.5" 54,61 cm
16:9 Aspect Ratio

CONNECTIVITY, SPEAKER



DVI-D
VGA



Full HD
1920 x 1080



Built-In
Stereo Speaker



5 msec

RESPONSE TIME, VESA



VESA
Wall-Mountable

ERGONOMIC FEATURES



Eco
Friendly



Low
Power
Cons.



Tilt



Video
Modes

Display Solutions

Technical Specifications >>>


HANNSPREE

Experts in Display

Display Size	54.61 cm / 21.5" Diagonal
Panel Type	TFT - LED Backlight
Aspect Ratio	16:9
Resolution (H x V)	1920 x 1080 Full HD
Brightness	250cd/m ²
Contrast (Typ.)	1,000:1 (Typical)
Contrast (Active)	10,000,000:1 (Active)
Viewing Angle L/R; U/D	170° H / 160° V (CR > 10); 176° H / 170° V (CR > 5)
Response Time	5 msec (typ)
Pixel Pitch	0,248 (H) x 0,248 (V) mm
Panel Surface	Anti-Glare
Display Colors	16.7M Colors
Horizontal Frequency	31 ~ 83 KHz
Vertical Frequency	56 ~ 75 Hz
Max Display Frequency	1920 x 1080 @ 60Hz
Input 1	D-Sub (VGA)
Input 2	DVI-D (with HDCP)
Input 3	-
Speakers	2W x 2
Power Consumption	On: 24W; Stand-by: ≤0,5W; Off: ≤0,5W
AC Power Range	AC 100 ~ 240 Volt; 50 ~ 65 Hz
Product Dimensions	511,9 x 168 x 386 mm (W x D x H)
Packing Dimensions	583 x 109 x 383 mm (W x D x H)
Net / Gross Weight	3.4 Kgs / 4.5 Kgs (±0.3KG)
Bezel & Color Plan	Front Bezel, Rear Cover, Arm & Base: Black Texture

VESA Mounting	100 x 100 mm
Monitor Stand	Regular Stand
Tilt / Kensington Lock	-5° ~ +20° / Yes
Pivot / Swivel	No / No
Controls	Menu, Bri (+), Vol (-), Input/Enter, Power
Color	Warm, Nature, Cool, User Mode
Preset Mode	PG, Movie, Game, ECO Modes
On Screen Display	12 OSD Languages
Flicker Free	Yes
Accessory	Power Cable (1,5m); VGA Cable (1,5m); Audio Cab (1,8m); Warranty Card; Quick Start Guide

PART. NO.:
HE 225 DPB



© 2018 HANNSPREE, Inc. Specifications and design as well as accessories are subject to change without notice. Screen shots are simulated. Actual products may differ slightly from those illustrated on this promotion material. Please refer to actual samples for final selection. The products displayed on this promotion material may not be available for purchase in your particular country or locality. Please check with your local HANNSPREE authorized representatives for the availability of specific products in your area. All brand, product, Service names and logos are trademarks and/or registered trademarks of their respective manufactures and Companies.

Display Solutions