



ZYRA E PROKURIMIT

01 NR 031-4611/23

DATE 01.02.2023

KONTRATË NR.03-2023

ARITECH, PRISHTINË - LIPJAN KM.10- PËRBALLË QMI- SË, GRACANICA, (ne vazhdim "Furnizuesi"), ne anën tjetër, janë pajtuar të lidhin një kontrate publike për furnizimet e shënuara me poshtë:

Furnizim me paisje të IT- mini tender 03-2022 sipas marrveshjes AQP nr. UA 2016-19-9628-1-1-1 FA 153 me numër identifikues: 634-22-14289-1-2-5

Neni 1 Lënda

1.1 Lënda e kontratës do të jetë nga Furnizuesi, i furnizimeve në vijim:

Nr.	Grupi
1	Furnizim me paisje të IT- mini tender 03-2022 sipas marrveshjes AQP nr. UA 2016-19-9628-1-1-1 FA 153

Neni 2 Kushtet e dërgesës

2.1 Afati kohor për dorëzim do të jetë 10 ditë nga koha e lëshimit të urdhër blerjes nga ana e Autoritetit Kontraktues.

2.2 Vendi i dorëzimit të furnizimit do të jetë Kline.

2.3 Inkotermi² i zbatueshëm do të jetë DDP Kline.

Neni 3 Origjina

3.1 Furnizuesi duhet të dorëzojë një certifikatë të origjinës së furnizimeve, më së voni atëherë kur e kërkon pranimin e përkohshëm të furnizimeve. Mosveprimi sipas këtij kushti mund të ketë si rezultat ndërprerjen e kontratës.

3.2 Origjina e mallrave do të përcaktohet sipas Kodit të Doganave të Bashkësisë Evropiane (Community Customs Code-) ose sipas marrëveshjeve ndërkombëtare të cilat i ka nënshkruar vendi në fjalë.

Neni 4 Çmimi

4.1 Çmimi total i furnizimeve duhet të jetë: 11,994.42 €; njembdhejt mije e nenqind e nedhjet e katër Euro.

² Incoterms 2010 Oda Ekonomike Ndërkombëtare

4.2 Çmimi i përmendur në Nenin 4.1 më sipër duhet të jetë e vetmja pagesë që Autoriteti Kontraktues i ka borxh Furnizuesit sipas kontratës.

4.3 Ai duhet të jetë i prerë dhe të mos i nënshtrohet ndryshimeve.

[Nëse disa artikuj iu nënshtrohen ndryshimeve]

Çmimet e artikujve që janë subjekt të rregullimit të çmimit janë subjekt i rregullimeve në vijim: *[shëno indeksin ose burim tjetër të rregullimit të çmimeve]*

4.4 Pagesat do të bëhen në pajtim me Kushtet e përgjithshme dhe/ose të Veçanta të kontratës.

Neni 5 Rendi i përparësisë i dokumenteve të kontratës

5.1 Kontrata përbëhet nga dokumentet në vijim:

- (a) Kjo marrëveshje e kontratës;
- (b) Kushtet e Veçanta të Kontratës;
- (c) Kushtet e Përgjithshme të Kontratës;
- (d) Tenderi i Furnizuesit, duke përfshirë edhe Specifikimet Teknike;
- (e) Oferta financiare;
- (f) *Sigurimi i ekzekutimit*

5.2 Dokumentet e ndryshme që e përbëjnë kontratën konsiderohet se shpjegojnë njëra tjetrën; dhe në raste të paqartësisë ose divergjencës, ato duhet të lexohen sipas rendit të përparësisë në të cilin janë dhënë më sipër.

Neni 6 Komunikimet


6.1 Të gjitha komunikimet me shkrim që kanë të bëjnë me këtë Kontratë ndërmjet Autoritetit Kontraktues, nga njëra anë dhe Furnizuesit nga ana tjetër duhet të cekin titullin e Kontratës dhe numrin e saj të identifikimit dhe duhet të dërgohen me postë, faks, email ose të dorëzohen personalisht.

6.2 Nëse personi që dërgon komunikatën kërkon vërtetim të pranimit të saj, ai duhet ta thotë këtë në komunikatën e tij. Sa herë që ka afat të fundit për pranimin e komunikatës me shkrim, dërguesi duhet të kërkojë vërtetim të pranimit të komunikatës së tij. Në të gjitha rastet, dërguesi duhet t'i marrë të gjitha masat e nevojshme për të siguruar pranimin e komunikimit të tij.


6.3 Kudo që në kontratë parashikohet dhënia e ndonjë njoftimi, pëlqimi, miratimi, certifikate, ose vendimi, përveç nëse specifikohet ndryshe në njoftimin e tillë, pëlqim, miratim, certifikatë apo vendim do të jetë në formë të shkruar dhe fjalët "njoftoj", "vërtetojë", "miratoj" ose "vendosë" do të shenohen në përputhje me rrethanat. Ndonjë miratim, pajtim, certifikatë ose vendimi i tillë nuk duhet të mbahet apo vonohet pa arsye.

6.4 Kjo kontratë është e përgatitur në gjuhën shqipe³ në tri origjinale, dy prej të cilave janë për Autoritetin Kontraktues dhe një origjinale për Furnizuesin.

Për Autoritetin Kontraktues

Emri:	Labinot Morina
Pozita:	Zyrtar përgjegjës i prokurimit
Nënshkrimi:	
Data:	09.02.2023
Vula:	

Për Furnizuesin

Emri:	Faton Kodhujari
Pozita:	Project Manager
Nënshkrimi:	
Data:	09.02.2023
Vula:	

³ Gjuha do të jetë gjuha e shfrytëzuar nga tenderuesit në këtë tender.

KUSHTET E VEÇANTA

Numri i kontratës: 634-22-14289-1-2-5/C548

KVK në vijim do të plotësojnë dhe/ose ndryshojnë KPK. Sa herë që ka një konflikt, dispozitat këtu do të mbizotërojnë mbi ato të KPK.

[Udhëzimet për plotësimin e KVK janë dhënë, sipas nevojës, në shënimet kursive të përmendura për nenet përkatëse të KPK. Fshini ato jo relevante]

Kushtet e Përgjithshme të Kontratës		Amandamentimet/Modifikimi i Nenit përkatës në KPK
Përshkrimi i nenit	Nr. Nenit	
Ligji i zbatueshëm dhe gjuha	2.1	Ligjet e Kosovës që janë në fuqi do të zbatohen për të gjitha çështjet që nuk mbulohen nga dispozitat e kontratës. Juridiksioni do të jetë gjykata përkatëse në Prishtinë.
	2.2	Gjuha e përdorur do të jetë
Siguria e ekzekutimit	9.1	po
Sigurimi	10.1	10 % ne kohezgjatje prej 60 dite nga nenshkrimi i kontrates
Programi i ekzekutimit	11	Sipas specifikave teknike te DT.
Tatimet dhe marrëveshjet doganore	12.1	<i>Sipas ligjeve te Kosoves</i>
Patentat dhe licencat	13.1	Sipas KPK
Cilësia e furnizimeve	18.2	Ne pajtim me specifikat e detyrshme te dosjes se tenderit Aneksi 1
Inspektimi dhe testimi	19.2	Nga menaxheri i kontrates
Pagesa	20.1	Jo me shume se 30 dite nga pranimi i fatures qe i ploteson kerkesat ligjore te percaktuara sipas KPK. Ky afat vlen ne momentin kur menaxheri i kontrates ka perpiluar raport pozitiv per furnizimet e pranuar.
Dorëzimi	21.3	30 dite nga nenshkrimi i kontrates
Obligimet e garancionit	24.1	<i>po</i>
	24.5	<i>12 muaj pas shitjes</i>
Shërbimet pas shitjes	25.1	<i>Na</i>
Zgjidhja miqësore e mosmarrëveshjes	31.2	<i>Me pajtueshmëri te dyanshme</i>
Zgjidhja e mosmarrëveshjes me procedure gjyqësore	32.1	a) Çdo mosmarrëveshje ndërmjet palëve të cilat mund të lindin gjatë ekzekutimit së kësaj kontrate dhe se nuk është e mundur të zgjidhet ndryshe ndërmjet palëve do të dorëzohet <i>gjykata themelore Peje Degë Kline</i> në pajtim me ligjin në Kosovë.

ANEKSI 1. SPECIFIKIMET TEKNIKE TË DETYRUESHME

1. Përshkruaj specifikimet teknike, në mënyrë jo diskriminuuese, karakteristikat e detyrueshme të objektit të kontratës siç janë: Kualiteti, sigurimi i kualitetit, performanca, terminologjia, kërkesat e dizajnit, simbolet, dimensionet, testimi dhe metodat e testimit, sigurimi, paketimi, shënjimi, etiketimi.


Specifikimet teknike duhet të përpilohen në mënyrë që të përputhen me qëllimin e prokurimit dhe të ofrojnë qasje sa më të madhe të operatorët ekonomik të interesuar.

Autoriteti kontraktues është veçanërisht i ndaluar të vendosë specifikim teknik që favorizojnë ose dis-favorizojnë një ose më shumë operatorë ekonomik.

NR	PAISJA	NJESIA	SASIA	SPECIFIKACIONI	DREJTORIA
1	LAPTOP - KOPMLET	COPE	20	MODEL III	Asambleistet
3	KOMPJUTER komplet	COPE	1	MODEL 1	Drejtoria e kultures
4	KOMPJUTER PC - KOMPLET	COPE	1	MODEL 1	kadasteri
5	KOMPJUTER PC - KOMPLET	COPE	2	MODEL 1	Inspektoriati
6	Monitor komplet	COPE	2	MODEL 1	Inspektoriati dhe zyra e prokurimit

Vërejtje: për të gjithë artikujt e ofruar duhet të ju bashkëngjiten specifikacionet teknike minimale me broshura dhe afatet e liferimit (për AK e dëshirueshme të liferohen brenda 10 dite).

OVERVIEW



1. Power connector	5. Headphone / microphone combo jack (3.5mm)
2. USB 3.2 Gen 1	6. Ethernet (RJ-45)
3. HDMI 1.4b	7. USB 2.0
4. USB-C 3.2 Gen 1 (data transfer only)	8. Kensington Nano Security Slot

Notes:

1. The max memory is based on the test results with current Lenovo* memory offerings. The system may support more memory as the technology develops.

Storage

Storage Support^[1]

- Models with 38Wh battery: up to two drives, 1x 2.5" HDD + 1x M.2 SSD
 - 2.5" HDD up to 1TB
 - M.2 2242 SSD up to 512GB
- Models with 45Wh battery: one drive, 1x M.2 SSD
 - M.2 2242 SSD up to 512GB

Storage Slot

- Models with 38Wh battery: one 2.5" drive slot + one M.2 slot
 - One 2.5" SATA HDD slot
 - One M.2 2280 PCIe® 3.0 x4 slot
- Models with 45Wh battery: one M.2 slot
 - One M.2 2280 PCIe 3.0 x4 slot

Storage Type^{}**

Disk Type	Interface	RPM	Offering
2.5" SATA HDD	SATA 6Gb/s	5.4K	500GB / 1TB
M.2 2242 SSD	PCIe NVMe®, PCIe 3.0 x2	-	128GB
M.2 2242 SSD	PCIe NVMe, PCIe x4	-	256GB / 512GB

Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

Removable Storage

Optical

None

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

Speakers

Stereo speakers, 1.5W x2, Dolby® Audio™

Microphone

Dual array microphone

Camera^{}**

- 0.3-megapixel, with privacy shutter, fixed focus
- HD 720p, with privacy shutter, fixed focus

Battery

Battery^{}**

- Integrated Li-Polymer 38Wh battery, supports Rapid Charge (charge up to 80% in 1hr)
- Integrated Li-Polymer 45Wh battery, supports Rapid Charge (charge up to 80% in 1hr)

Max Battery Life^[1]

- MobileMark® 2018: 6 hr (38Wh)
- MobileMark 2018: 8.5 hr (45Wh)

Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0,

Notes:

1. The system dimensions and weight vary depending on configurations.

CONNECTIVITY

Network

Ethernet

Gigabit Ethernet, Realtek RTL8111H-CG, 1x RJ-45, supports Wake-on-LAN

WLAN + Bluetooth[®](1)

802.11ac 2x2 Wi-Fi[®] + Bluetooth 5.0, M.2 card

Notes:

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation

Ports⁽¹⁾

Standard Ports

- 1x USB 2.0
- 1x USB 3.2 Gen 1
- 1x USB-C[®] 3.2 Gen 1 (support data transfer only)
- 1x HDMI 1.4b
- 1x Ethernet (RJ-45)
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector

Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.
USB 2.0: 480 Mbit/s;
USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;
USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;
USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
Thunderbolt[™] 3/4: 40 Gbit/s

Docking

Docking

Various docking solutions supported via USB-C.
For more compatible docking solutions, please visit [Docking for Lenovo V14 G2 ITL](#)

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in SoC

Physical Locks

Kensington[®] Nano Security Slot[™]

Fingerprint Reader

No fingerprint reader

BIOS Security

- Power-on password
- Supervisor password
- Hard disk password


Other Security

Camera privacy shutter

SERVICE



HP V221vb FHD Monitor



An everyday monitor that's easy on you

Browse the web, stream your shows, and get some work done on the HP V221vb Monitor that adjusts to your comfort needs and delivers stunning picture quality in highly affordable style.

Product overview

- **Crisp image clarity for all your content:** Get lifelike color and sharp details for everything you do, from answering e-mails, checking your social feeds, and working on documents to watching the latest shows, on a 21.45 inch diagonal Full HD screen with 178 degree viewing angles.⁽¹⁾
- **Modern connectivity:** Quickly connect to your devices and additional monitors through the HDMI and VGA ports and get smooth visuals.
- **An infinity pool for your desk:** See more of your actual screen and less of its borders with the 3-sided borderless design that also makes tiling multiple monitors⁽²⁾ together a seamless dream with no bezel interruptions.

Key specifications

- **Viewable image area:** 21.45 inch diagonally measured
- **Panel type:** VA
- **Aspect ratio:** 16:9
- **Resolution:** 1920 x 1080 (FHD)⁽¹⁾
- **Connectivity:**
 - 1 x HDMI 1.4
 - 1 x VGA

Product features


- **Full HD display:** Be prepared for brilliant visuals and crisp images with the unforgettable quality of this stunning FHD display.⁽¹⁾
- **VA panel:** With a wide, 178-degree viewing angle and better black levels, VA panels elevate your favorite content with a superb contrast ratio for colors that pop.
- **Share the panoramic view:** Vibrant detail from practically any position with consistent color and image clarity maintained across ultra-wide 178-degree horizontal and vertical viewing angles.
- **Three-sided micro-edge display:** See more of your screen with a three-sided micro-edge display that maximizes your viewing area.
- **Easily personalize and adjust your display:** Customize your display with easy, intuitive HP Display Center software that lets you tailor your settings, partition screens, and even dim the screen—all through the host PC.

Environmentally conscious

- Energy efficient design and components help reduce power consumption and energy costs.



OVERVIEW



1. Power button	11. Serial *
2. Card reader *	12. VGA
3. Microphone (3.5mm)	13. Ethernet (RJ-45)
4. Headphone / microphone combo jack (3.5mm)	14. 2x USB 2.0
5. USB-C 3.2 Gen 1 (support data transfer and 5V@3A charging)	15. USB 3.2 Gen 1 (with Smart Power On feature)
6. 2x USB 3.2 Gen 1	16. USB 3.2 Gen 1
7. Optical drive *	17. Serial *
8. Line-out (3.5mm)	18. Optional ports on expansion cards *
9. HDMI	19. Power connector
10. DisplayPort 1.4	

Notes:

- Ports with * are only available on selected models
- Onboard video ports are only available for the models with integrated graphics

graphics 770			TMDs, 1x VGA, 1x DP 1.4	1920x1200@60Hz(VGA), 4096x2304@60Hz(DP)		
Intel Iris® Xe MAX 100 Graphics	Discrete	2GB LPDDR4X	1x VGA, 1x HDMI 1.4	3840x2160@30Hz(HDMI), 1920x1080@60Hz(VGA)	DirectX 12, OpenGL 4.6	Temporarily unavailable

Notes:

1. The information of integrated graphics are not applicable for the models without integrated graphics (for the details, please refer to processor section)
2. Onboard video ports are only available for the models with integrated graphics

Monitor Support**Monitor Support**

Supports up to 3 independent displays via (HDMI, DP and VGA), more displays support via discrete graphics

Chipset**Chipset**

Intel B660 chipset

Memory**Max Memory^[1]**

Up to 64GB DDR4-3200

Memory Slots

Two DDR4 UDIMM slots, dual-channel capable

Memory Type

DDR4-3200

Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Storage**Storage Support^[1]**

Up to two drives, 1x 2.5"/3.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 1TB
- 3.5" HDD up to 2TB
- M.2 SSD up to 1TB

Storage Type^{*}**

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	7.2K	-
3.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2242 SSD	PCIe® NVMe®, PCIe 3.0 x4	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	Opal2
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4	-	Opal2

RAID

No support

Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

Removable Storage**Optical^{**}**

- DVD-ROM, SATA 1.5Gb/s, slim (9.0mm)
- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)

No support

Stand

- Vertical stand
- No stand

IO Box

No IO box

Mounting

None

CONNECTIVITY

Network

Onboard Ethernet

Gigabit Ethernet, Realtek RTL8111HN, 1x RJ-45, supports Wake-on-LAN

WLAN + Bluetooth[®]^[1]**

- Intel Wi-Fi[®] 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card
- Intel Wireless-AC 9560, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
- Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
- Realtek Wi-Fi 6 RTL8852AE, 802.11ax Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- No WLAN and Bluetooth

Notes:

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation

Ports^[1]**Front Ports**

- 2x USB 3.2 Gen 1
- 1x USB-C[®] 3.2 Gen 1 (support data transfer and 5V@3A charging)
- 1x headphone / microphone combo jack (3.5mm)
- 1x microphone (3.5mm)

Optional Front Ports

1x card reader

Rear Ports^[1]

- 2x USB 2.0
- 2x USB 3.2 Gen 1 (one supports Smart Power On)
- 1x VGA
- 1x HDMI 2.1 TMDS
- 1x DisplayPort™ 1.4
- 1x Ethernet (RJ-45)
- 1x line-out (3.5mm)

Optional Rear Ports**

- 2x USB 2.0 (via 2-port adapter)
- 1x serial
- 1x 2nd serial
- 1x parallel
- None

Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.
USB 2.0: 480 Mbit/s;
USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;
USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;
USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
Thunderbolt™ 3/4: 40 Gbit/s
2. For video ports on discrete graphics, please see graphics section

Monitor Cable

Temperature

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage: -40°C (-40°F) to 60°C (140°F)

Humidity

- Operating: 20% to 80%
- Storage: 10% to 90%

Altitude

- Operating: 0 m (0 ft) to 3048 m (10,000 ft)
- Storage: 0 m (0 ft) to 12192 m (40,000 ft)

CERTIFICATIONS**Green Certifications****Green Certifications**

- (Optional) EPEAT™ Gold
- (Optional) EPEAT Silver
- (Optional) ENERGY STAR® 8.0
- ErP Lot 3
- TCO Certified 9.0
- RoHS compliant

Other Certifications**Other Certifications**


- (Optional) TÜV Rheinland® Low Noise
- (Optional) TÜV Rheinland Ultra Low Noise

- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Feature with *** means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. **LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

**DEKLARATË**

Drejtuar:	Komuna Kline
Adresa:	Kline 32000
Nr References:	nr.634-22-14289-125/int 634-22-112-125
Titulli:	FURNZIM ME PAISJE T.I. MINI TENDER NR 02-2022 SIPAS MAREVESHJES AQP
Subjekti:	DEKLARATA PER LIFERIM

Ne, Kompania ARITECH SHPK përmes kësaj shkrese deklarojmë se liferimi i produkteve do të bëhet pas pranimit të urdhër blerjes nga AK, nuk do të zgjasë me shumë se 10 ditë konform kushteve dhe kërkesave në dosje të tenderit.



ARITECH SHPK

ARITECH

Your Tech Partner

038 600 500 info@aritech-ks.com


23/12/2022



DEKLARATË

Drejtuar:	Komuna Kline
Adresa:	Kline 32000
Nr References:	nr.634-22-14289-125/int 634-22-112-125
Titulli:	FURNZIM ME PAISJE T.I. MINI TENDER NR 02-2022 SIPAS MAREVESHJES AQP
Subjekti:	DEKLARATA PER SPECIFIKIM TEKNIK

Ne, Kompania ARITECH SHPK përmes kësaj shkrese deklarojmë se të gjitha produktet e ofertuara janë konform specifikimeve të kërkuara në dosje të tenderit (Aneks 1), rrjedhimisht plotësojnë specifikimin e kërkuar nga AK.



ARITECH SHPK

ARITECH

Nr Biz 70905647, Nr.Fiskal 600895645

Tel: +383 38 600 500 Cel: +383 44 622 132
mail: oferta@aritech-ks.com, web: www.aritech-ks.com
Adresa: Perballe QMI, km10 Prisht-Lipjan



Republika e Kosovës
Republika Kosova - Republic of Kosovo
Qeveria - Vlada - Government
Ministria e Tregtisë dhe Industrisë - Ministarstvo Trgovine i Industrije
Ministry of Trade and Industry

ARBK

AGENCIA E REGJISTRIMIT TË BIZNESIT NË KOSOVË
KOSOVSKA AGENCIJA ZA REGISTRACIJE BIZNISA
KOSOVA BUSINESS REGISTRATION AGENCY

CERTIFIKATË E REGJISTRIMIT
CERTIFIKAT O REGISTRACIJI
CERTIFICATE OF REGISTRATION

810821828

Numri Unik Identifikues / Jedinstveni Matični Broj / Unique Identification Number

ARITECH SH.P.K.

Emri biznesit / Naziv biznisa / Name of business

///

Emri tregtar / Trgovačko ime / Commercial name

Lloji biznesit:
Poslovni tip:
Business type:

Shoqëri me përgjegjësi të kufizuara
Društvo sa ograničenom odgovornošću
Limited Liabilities Companies

Adresa:
Adresa:
Address:


Prishtinë-Lipjan Km. 10-Përballë QMI-së
Graçanicë

Data e regjistrimit:
Datum registracije:
Date of registration:

06/12/2012

02/07/2019

Data / Date / Datum



M. Telum

Nënshkrimi / Signature / Potpis

Nr. ser. / Ser. br. / Ser. No.: 10038817

Furnizim me paisje te IT- mini tender 03-2022 sipas marrveshjes AQP nr. UA 2016-19-9628-1-1-1 FA 15

Nr.	Titulli	Çmimi për njësi	Norma e TVSH-së	Çmimi për njësi (me TVSh)	Sasia	Njësia matëse	Totali
1	Lap-top Model III sipas specifikacionit ne marrveshjen e AQP	422.22	8.00	456.00	20.00	cope	8,444.40
2	Kompjuter desktop model III komplet	498.22	8.00	538.08	5.00	cope	2,491.10
3	monitor model I	78.00	18.00	92.04	2.00	cope	156.00